

BOSS®

#1 Comprehensive
ELECTRICAL
range



- Made of high impact resistant polycarbonate components.
- Specially designed frame that conceal all mounting screws.
- Multigang Capability.

AGN
AUSTRALINDO
GRAHA NUSA

B1000 PURO

CLEAN LOOK & SIMPLE




B1000 PURO

CLEAN LOOK & SIMPLE

A slim, trim profile, pleasing to the eye, clean and refined. The B1000 Puro is a switch and socket set that perfectly complements the modern lifestyle. Inspired by the simple, elegant minimalism of the supremely influential Bauhaus movement, every piece in this robustly constructed range expresses a pleasing form following function.

Unmared by visible fastenings, the sleek clean lines of B1000 Puro present a cool refined touch of style to almost any interior.

Styling & Quality Assurance



Colour Choice*

PB	WE	BW	VI	MY	BG
GY	SG	PS	DS	DO	TQ
BK	SH	BY	NU	DC	RD

* Minimum Order Quantity





04-3892.1
PCS 00063.02 LSPY-022-IDN
SNI 04-3892.1-2006 | NRP 119-027-120200



04-6203.1
PCS 00063.01 LSPY-022-IDN
SNI 04-6203.1-2006 | NRP 119-027-120202

SWITCHES



SWITCHES

10A, AC 250V

Version	Cat.No.
1 gang 1 way	B1031/1/2A
1 gang 2 way	B1031/2/3A
2 gang 1 way	B1032/1/2A
2 gang 2 way	B1032/2/3A
3 gang 1 way	B1033/1/2A
3 gang 2 way	B1033/2/3A
4 gang 1 way	BT1034/1/2A
4 gang 2 way	BT1034/2/3A
6 gang 1 way	BT1036/1/2A
6 gang 2 way	BT1036/2/3A

Dimension	in mm
(WxHxD)	86 x 86 x 6
(WxHxD) twin	146 x 86 x 6

Colour : White Electric (WE)
 Contents : Complete w/ Screw and Frame
 Inbow : B157P (plastic), B157 (metal)
 B157G (dry wall)
 BT157 (metal, twin gang)
 BT157G (dry wall, twin gang)
 Outbow : B238 (plastic)
 BT238 (plastic, twin gang)

BELL SWITCH



BELL SWITCH


10A, AC 250V

Version	Cat.No.
w/ bell symbol	B1031BPRA

Dimension	in mm
(WxHxD)	86 x 86 x 6

Colour : White Electric (WE)
 Contents : Complete w/ Screw and Frame
 Inbow : B157P (plastic), B157 (metal)
 B157G (dry wall)
 Outbow : B238 (plastic)

INTERMEDIATE SWITCH



INTERMEDIATE SWITCH

10A, AC 250V

Version	Cat.No.
intermediate switch	B1031IA

Dimension	in mm
(WxHxD)	86 x 86 x 6

Colour : White Electric (WE)
 Contents : Complete w/ Screw and Frame
 Inbow : B157P (plastic), B157 (metal)
 B157G (dry wall)
 Outbow : B238 (plastic)

DIMMER



DIMMER

500VA, AC 250V

Version	Cat.No.
1 gang	B1032V500

Dimension	in mm
(WxHxD)	86 x 86 x 6

Colour : White Electric (WE)
 Contents : Complete w/ Screw and Frame
 Inbow : B157P (plastic), B157 (metal)
 B157G (dry wall)
 Outbow : B238 (plastic)

FAN CONTROL



FAN CONTROL

400VA, AC 250V

Version	Cat.No.
1 gang	B1032V400F

Dimension	in mm
(WxHxD)	86 x 86 x 6

Colour : White Electric (WE)
 Contents : Complete w/ Screw and Frame
 Inbow : B157P (plastic), B157 (metal)
 B157G (dry wall)
 Outbow : B238 (plastic)

DOUBLE POLE



DOUBLE POLE


20A, AC 250V

Version	Cat.No.
large switch w/ neon	B1031D20NA
switch w/ neon	B1032D20NA

Dimension	in mm
(WxHxD)	86 x 86 x 6

Colour : White Electric (WE)
 Contents : Complete w/ Screw and Frame
 Inbow : B157P (plastic), B157 (metal)
 B157G (dry wall)
 Outbow : B238 (plastic)

CONNECTION UNIT



CONNECTION UNIT


13A, AC 250V

Version	Cat.No.
with fused	B1030FSG

Dimension	in mm
(WxHxD)	86 x 86 x 6

Colour : White Electric (WE)
 Contents : Complete w/ Screw and Frame
 Inbow : B157P (plastic), B157 (metal)
 B157G (dry wall)
 Outbow : B238 (plastic)

POWER OUTLET





BRITISH STANDARD

13A, AC 250V, SAFETY SHUTTER

Version	Cat.No.
w/o switch & neon	B10426
w/ switch	B1015L
w/ switch & neon	B1015LN

Dimension	in mm
(WxHxD)	86 x 86 x 6

- Colour : White Electric (WE)
Contents : Complete w/ Screw and Frame
Inbow : B157P (plastic), B157 (metal)
 B157G (dry wall)
Outbow : B238 (plastic)



TWIN BRITISH STANDARD

13A, AC 250V, SAFETY SHUTTER

Version	Cat.No.
w/o switch & neon	BT10426
w/ switch	BT1025L
w/ switch & neon	BT1025LN

Dimension	in mm
(WxHxD)	146 x 86 x 6

- Colour : White Electric (WE)
Contents : Complete w/ Screw and Frame
Inbow : BT157 (metal, twin gang)
 BT157G (dry wall, twin gang)
Outbow : BT238 (plastic, twin gang)



SCHUKO

16A, AC 250V, SAFETY SHUTTER

Version	Cat.No.
with Safety Shutter	B10426/16S

Dimension	in mm
(WxHxD)	86 x 86 x 6

- Colour : White Electric (WE)
Contents : Complete w/ Screw and Frame
Inbow : B157P (plastic), B157 (metal)
 B157G (dry wall)
Outbow : B238 (plastic)




TWIN SCHUKO

16A, AC 250V, SAFETY SHUTTER

Version	Cat.No.
with Safety Shutter	BT10426/16S

Dimension	in mm
(WxHxD)	146 x 86 x 6

- Colour : White Electric (WE)
Contents : Complete w/ Screw and Frame
Inbow : BT157 (metal, twin gang)
 BT157G (dry wall, twin gang)
Outbow : BT238 (plastic, twin gang)





3 ROUND PIN

15A, AC 250V, SAFETY SHUTTER

Version	Cat.No.
3 Round Pin Socket w/switch	B1015/15

Dimension	in mm
(WxHxD)	86 x 86 x 6

- Colour : White Electric (WE)
Contents : Complete w/ Screw and Frame
Inbow : B157P (plastic), B157 (metal)
 B157G (dry wall)
Outbow : B238 (plastic)



UNIVERSAL

13A, AC 250V, SAFETY SHUTTER

Version	Cat.No.
w/o switch & neon	B10413S
w/ switch	B10113LS
w/ switch & neon	B10113LSN

Dimension	in mm
(WxHxD)	86 x 86 x 6

- Colour : White Electric (WE)
Contents : Complete w/ Screw and Frame
Inbow : B157P (plastic), B157 (metal)
 B157G (dry wall)
Outbow : B238 (plastic)



TWIN UNIVERSAL

13A, AC 250V, SAFETY SHUTTER

Version	Cat.No.
with Safety Shutter	BT10413S

Dimension	in mm
(WxHxD)	146 x 86 x 6

- Colour : White Electric (WE)
Contents : Complete w/ Screw and Frame
Inbow : BT157 (metal, twin gang)
 BT157G (dry wall, twin gang)
Outbow : BT238 (plastic, twin gang)

TEL. & DATA OUTLET



TELEPHONE

RJ11 4 CONTACT, SHUTTERED

Version	Cat.No.
1 gang Cat3	B1031TO
2 gang Cat3	B1032TO

Dimension	in mm
Plate (WxHxD)	86 x 86 x 6

- Colour : White Electric (WE)
Contents : Complete w/ Screw and Frame
Inbow : B157P (plastic), B157 (metal)
 B157G (dry wall)
Outbow : B238 (plastic)



DATA

RJ45, SHUTTERED

Version	Cat.No.
1 gang Cat5e	B1031CAT5
2 gang Cat5e	B1032CAT5
1 gang Cat6	B1031CAT6
2 gang Cat6	B1032CAT6
1 gang Cat5e + 1 gang Cat6	B1032CAT5/CAT6

Dimension	in mm
Plate (WxHxD)	86 x 86 x 6

- Colour : White Electric (WE)
Contents : Complete w/ Screw and Frame
Inbow : B157P (plastic), B157 (metal)
 B157G (dry wall)
Outbow : B238 (plastic)



TEL. + DATA


RJ11 4 CONTACT + RJ45, SHUTTERED

Version	Cat.No.
1 gang Cat3 + 1 gang Cat5e	B1032TO/CAT5
1 gang Cat3 + 1 gang Cat6	B1032TO/CAT6

Dimension	in mm
Plate (WxHxD)	86 x 86 x 6

- Colour : White Electric (WE)
Contents : Complete w/ Screw and Frame
Inbow : B157P (plastic), B157 (metal)
 B157G (dry wall)
Outbow : B238 (plastic)

TV OUTLET



TV

CO-AXIAL

Version	Cat.No.
1 gang	B1031TV
2 gang	B1032TV

Dimension	in mm
(WxHxD)	86 x 86 x 6

Colour : White Electric (WE)
Contents : Complete w/ Screw and Frame
Inbow : B157P (plastic), B157 (metal)
B157G (dry wall)
Outbow : B238 (plastic)



TVF

F-TYPE

Version	Cat.No.
1 gang	B1031TVF
2 gang	B1032TVF

Dimension	in mm
(WxHxD)	86 x 86 x 6

Colour : White Electric (WE)
Contents : Complete w/ Screw and Frame
Inbow : B157P (plastic), B157 (metal)
B157G (dry wall)
Outbow : B238 (plastic)



TV + TVF

CO-AXIAL + F-TYPE

Version	Cat.No.
2 gang	B1032TVSF

Dimension	in mm
(WxHxD)	86 x 86 x 6

Colour : White Electric (WE)
Contents : Complete w/ Screw and Frame
Inbow : B157P (plastic), B157 (metal)
B157G (dry wall)
Outbow : B238 (plastic)

MULTIMEDIA




HDMI

Version	Cat.No.
1 gang	B1031H
2 gang	B1032H

Dimension	in mm
(WxHxD)	86 x 86 x 6

Colour : White Electric (WE)
Contents : Complete w/ Screw and Frame
Inbow : B157P (plastic), B157 (metal)
B157G (dry wall)
Outbow : B238 (plastic)



AUDIO + VIDEO

VGA & MINI AUDIO, RCA & S-VIDEO

Version	Cat.No.
VGA + Mini Audio	B1032VM
RCA + S-Video	B1032AV

Dimension	in mm
(WxHxD)	86 x 86 x 6

Colour : White Electric (WE)
Contents : Complete w/ Screw and Frame
Inbow : B157P (plastic), B157 (metal)
B157G (dry wall)
Outbow : B238 (plastic)



USB CONNECTION +
USB CHARGE (5V / 1A)

Version	Cat.No.
1 gang USB	B1031U
2 gang USB	B1032U
1 gang USB	B1031UC
2 gang USB	B1032UC

Dimension	in mm
(WxHxD)	86 x 86 x 6

Colour : White Electric (WE)
Contents : Complete w/ Screw and Frame
Inbow : B157P (plastic), B157 (metal)
B157G (dry wall)
Outbow : B238 (plastic)




COMBINATION

Version	Cat.No.
HDMI + USB	B1032VHU
HDMI + USB	B1032HU
HDMI + USB	B1032HUC
USB + USB	B1032UCU

Dimension	in mm
(WxHxD)	86 x 86 x 6

Colour : White Electric (WE)
Contents : Complete w/ Screw and Frame
Inbow : B157P (plastic), B157 (metal)
B157G (dry wall)
Outbow : B238 (plastic)

BLANK PLATE



BLANK PLATE


BLANK PLATE

Version	Cat.No.
1 gang	B1031X
Twin gang	BT1031/2X

Dimension	in mm
1 Gang (WxHxD)	86 x 86 x 6
Twin Gang (WxHxD)	146 x 86 x 6

Colour : White Electric (WE)
Contents : Complete w/ Screw and Frame
Inbow : B157P (plastic), B157 (metal)
B157G (dry wall)
BT157 (metal, twin gang)
BT157G (dry wall, twin gang)
Outbow : B238 (plastic)
BT238 (plastic, twin gang)

SURROUNDS



SURROUND

SURROUND

Version	Cat.No.
2 gang	B1000/2
3 gang	B1000/3
4 gang	B1000/4

Dimension	in mm
2 gang (WxHxD)	174 x 86 x 6
3 gang (WxHxD)	260 x 86 x 6
4 gang (WxHxD)	347 x 86 x 6

Colour : White Electric (WE)
Contents : Complete w/ Connector

